

DAFTAR PUSTAKA

- Abbas, W., Howard, J. T., Paz, H. A., Hales, K. E., Wells, J. E., Kuehn, L. A., Erickson, G. E., Spangler, M. L., & Fernando, S. C. (2020). Influence of host genetics in shaping the rumen bacterial community in beef cattle. *Scientific Reports*. doi:10.1038/s41598-020-72011-9
- Agung, P. P., Anwar, S., Wulandari, A. S., Sudiro, A., Said, S., & Tappa, B. (2015). The potency of sumba Ongole (so) cattle: A study of genetic characterization and carcass productivity. *Journal of the Indonesian Tropical Animal Agriculture*. doi:10.14710/jitaa.40.2.71-78
- Amtiran, I., Nikolaus, T. T., & Abdulah, M. S. (2016). Pemberian Pakan Komplit dengan Rasio Jerami Padi dan Konsentrat yang Berbeda terhadap Retensi Nitrogen dan Energi Kambing Kacang Betina. *Jurnal Nukleus Peternakan*, 3(2), 136–142. doi:10.35508/nukleus.v3i2.799
- Anderson, C. L., Schneider, C. J., Erickson, G. E., Macdonald, J. C., & Fernando, S. C. (2016). Rumen bacterial communities can be acclimated faster to high concentrate diets than currently implemented feedlot programs. *Journal of Applied Microbiology*. doi:10.1111/jam.13039
- AOAC. (2019). *Official methods of analysis* (21st editi). AOAC International.
- Auffret, M. D., Stewart, R., Dewhurst, R. J., Duthie, C. A., Rooke, J. A., Wallace, R. J., Freeman, T. C., Snelling, T. J., Watson, M., & Roehe, R. (2018). Identification, comparison, and validation of robust rumen microbial biomarkers for methane emissions using diverse Bos Taurus breeds and basal diets. *Frontiers in Microbiology*. doi:10.3389/fmicb.2017.02642
- Bata, M., & Rahayu, S. (2017). Evaluation of Bioactive Substances in Hibiscus tiliaceus and its Potential as a Ruminant Feed Additive. *Current Bioactive Compounds*. doi:10.2174/1573407213666170109151904
- Besung, I. N. K., Watiniasih, N. L., Kade Mahardika, G. N., Karang Agustina, K., & Suwiti, N. K. (2019). Mineral levels of bali cattle (Bos javanicus) from different types of land in bali, nusa penida, and sumbawa islands (Indonesia). *Biodiversitas*. doi:10.13057/biodiv/d201022
- Budiari, N. L. G., Kertawirawan, I. P. A., Adijaya, I. N., & Yasa, I. M. R. (2020). Pengaruh Pemberian Konsentrat Terhadap Pertumbuhan Dan Kecernaan Pakan Pada Penggemukan Sapi Bali. *Jurnal Pengkajian Dan Pengembangan Teknologi Pertanian*, 23 (1), 81–90.
- Cole, H. H., & Ronning, M. (1974). *Animal Agriculture: The Biology of Domestic Animal and their Use by Man* (1st Editio). W. H. Freeman and Company. doi:10.1016/0301-6226(76)90014-2
- Dittmann, M. T., Hebel, C., Hammer, S., Hummel, J., Ortmann, S., Arif, A., Bouts, T., Kreuzer, M., & Clauss, M. (2014). Energy requirements and metabolism of the Phillip's dikdik (Madoqua saltiana phillipsi). *Comparative Biochemistry and Physiology - A Molecular and Integrative Physiology*. doi:10.1016/j.cbpa.2013.09.014
- Friedman, N., Shriker, E., Gold, B., Durman, T., Zarecki, R., Ruppin, E., &

- Mizrahi, I. (2017). Diet-induced changes of redox potential underlie compositional shifts in the rumen archaeal community. *Environmental Microbiology*. doi:10.1111/1462-2920.13551
- Guan, L. L., Nkrumah, J. D., Basarab, J. A., & Moore, S. S. (2008). Linkage of microbial ecology to phenotype: Correlation of rumen microbial ecology to cattle's feed efficiency. *FEMS Microbiology Letters*. doi:10.1111/j.1574-6968.2008.01343.x
- Hartadi, H., Reksohadiprodjo, S., & Tillman, A. D. (2019). *Tabel Komposisi Pakan untuk Indonesia*. UGM press.
- Hau, D. H. K., & Nulik, J. (2017). *Kajian Pengembangan dan Pemanfaatan Tanaman Pakan Leguminosa Mendukung Peningkatan Produksi Ternak Sapi di Nusa Tenggara Timur*. doi:10.14334/pros.semnas.tpv-2017-p.587-596
- Henderson, G., Cox, F., Ganesh, S., Jonker, A., Young, W., Janssen, P. H., Abecia, L., Angarita, E., Aravena, P., Arenas, G. N., Ariza, C., Attwood, G. T., Avila, J. M., Avila-Stagno, J., Bannink, A., Barahona, R., Batistotti, M., Bertelsen, M. F., Brown-Kav, A., ... Zunino, P. (2015). Rumen microbial community composition varies with diet and host, but a core microbiome is found across a wide geographical range. *Scientific Reports*. doi:10.1038/srep14567
- Hendri, Y. (2013). Dinamika Pengembangan Sapi Pesisir sebagai Sapi Lokal Sumatera Barat. *Jurnal Litbang Pertanian*, 32(1), 39–46. doi:10.21082/jp3.v32n1.2013.p39-45
- Hernandez-Sanabria, E., Goonewardene, L. A., Wang, Z., Zhou, M., Moore, S. S., & Guan, L. L. (2013). Influence of Sire Breed on the Interplay among Rumen Microbial Populations Inhabiting the Rumen Liquid of the Progeny in Beef Cattle. *PLoS ONE*. doi:10.1371/journal.pone.0058461
- Huws, S. A., Creevey, C. J., Oyama, L. B., Mizrahi, I., Denman, S. E., Popova, M., Muñoz-Tamayo, R., Forano, E., Waters, S. M., Hess, M., Tapio, I., Smidt, H., Krizsan, S. J., Yáñez-Ruiz, D. R., Belanche, A., Guan, L., Gruninger, R. J., McAllister, T. A., Newbold, C. J., ... Morgavi, D. P. (2018). Addressing global ruminant agricultural challenges through understanding the rumen microbiome: Past, present, and future. In *Frontiers in Microbiology*. doi:10.3389/fmicb.2018.02161
- I., S., Nurgiartiningsih, V. M. A., & Ciptadi, G. (2017). Evaluasi Performa Bobot Badan dan Statistik Vital Sapi Madura Berdasarkan Tahun Kelahiran. *Jurnal Ilmiah Peternakan Terpadu*. doi:10.23960/jipt.v5i2.p40-43
- John Wallace, R., Sasson, G., Garnsworthy, P. C., Tapio, I., Gregson, E., Bani, P., Huhtanen, P., Bayat, A. R., Strozzi, F., Biscarini, F., Snelling, T. J., Saunders, N., Potterton, S. L., Craigon, J., Minuti, A., Trevisi, E., Callegari, M. L., Cappelli, F. P., Cabezas-Garcia, E. H., ... Mizrahi, I. (2019). A heritable subset of the core rumen microbiome dictates dairy cow productivity and emissions. *Science Advances*. doi:10.1126/sciadv.aav8391
- Kayat, G., Saragih, S., & Hidayat, O. (2015). Savana sebagai Habitat Rusa Timor (*Rusa timorensis*, de Blainville 1822) di Nusa Tenggara Timur. *Prosiding Seminar Nasional Biodiversitas Savana Nusa Tenggara*, 93–103.

- Khan, M. A., Weary, D. M., Veira, D. M., & von Keyserlingk, M. A. G. (2012). Postweaning performance of heifers fed starter with and without hay during the milk-feeding period. *Journal of Dairy Science*. doi:10.3168/jds.2011-5027
- Kleden, M. M., Ratu, M. R. ., & Randu, M. D. . (2015). Kapasitas Tampung Hijauan Pakan dalam Areal Perkebunan Kopi dan Padang Rumput Alam di Kabupaten Flores Timur Nusa Tenggara Timur. *ZOOTEC*. doi:10.35792/zot.35.2.2015.9274
- Kong, R. S. G., Liang, G., Chen, Y., Stothard, P., & Guan, L. L. (2016). Transcriptome profiling of the rumen epithelium of beef cattle differing in residual feed intake. *BMC Genomics*. doi:10.1186/s12864-016-2935-4
- Kutsiyah, F. (2012). Analisis pembibitan sapi potong di pulau Madura. *Wartazoa*.
- Kutsiyah, F. (2016). Pengembangan Agribisnis Sapi Bibit Madura Melalui Pendekatan One Tambon One Product (OTOP) Di Pulau Madura. *Maduranch*, 1(1), 29–40.
- Ladeira, M. M., Schoonmaker, J. P., Swanson, K. C., Duckett, S. K., Gionbelli, M. P., Rodrigues, L. M., & Teixeira, P. D. (2018). Review: Nutrigenomics of marbling and fatty acid profile in ruminant meat. In *Animal*. doi:10.1017/S1751731118001933
- Li, F., Hitch, T. C. A., Chen, Y., Creevey, C. J., & Guan, L. L. (2019). Comparative metagenomic and metatranscriptomic analyses reveal the breed effect on the rumen microbiome and its associations with feed efficiency in beef cattle 06 Biological Sciences 0604 Genetics 06 Biological Sciences 0605 Microbiology. *Microbiome*. doi:10.1186/s40168-019-0618-5
- Li, F., Li, C., Chen, Y., Liu, J., Zhang, C., Irving, B., Fitzsimmons, C., Plastow, G., & Guan, L. L. (2019). Host genetics influence the rumen microbiota and heritable rumen microbial features associate with feed efficiency in cattle. *Microbiome*. doi:10.1186/s40168-019-0699-1
- Lv, X., Chai, J., Diao, Q., Huang, W., Zhuang, Y., & Zhang, N. (2019). The signature microbiota drive rumen function shifts in goat kids introduced to solid diet regimes. *Microorganisms*. doi:10.3390/microorganisms7110516
- Malmuthuge, N., & Guan, L. L. (2017). Understanding host-microbial interactions in rumen: Searching the best opportunity for microbiota manipulation. In *Journal of Animal Science and Biotechnology*. doi:10.1186/s40104-016-0135-3
- Manu, A. (2013). Produktivitas Padang Pengembalaan Sabana Timor Barat. *Pastura: Journal of Tropical Forage Science*, 3. doi:10.24843/Pastura.2013.v03.i01.p07
- Min, B. R., Gurung, N., Shange, R., & Solaiman, S. (2019). Potential role of rumen microbiota in altering average daily gain and feed efficiency in meat goats fed simple and mixed pastures using bacterial tag-encoded FLX amplicon pyrosequencing. *Journal of Animal Science*. doi:10.1093/jas/skz193
- Neno, M. (2018). Korelasi Bobot Potong terhadap Produksi Karkas Ternak Sapi Bali di RPH Kota Kefamenanu. *JAS*. doi:10.32938/ja.v3i4.545

- Nugraha, C., Maylinda, S., & Nasich, M. (2015). Karakteristik Sapi Sonok dan Sapi Karapan pada Umur yang Berbeda di Kabupaten Pamekasan Pulau Madura. *Journal of Tropical Animal Production*. doi:10.21776/ub.jtapro.2015.016.01.9
- Palandi, J. F., & Ngundjuawang, A. U. (2014). Analisis dan Perancangan Sistem Informasi Geografis Lahan dan Tata Ruang Wilayah Peternakan di Kabupaten Sumba Timur Berbasis Web. *Teknologi Informasi Dan Terapan*.
- Petrovski, K. R. (2017). Assessment of the Rumen Fluid of a Bovine Patient. *Journal of Dairy & Veterinary Sciences*. doi:10.19080/jdvs.2017.02.555588
- Pinares-Patiño, C. S., Hickey, S. M., Young, E. A., Dodds, K. G., MacLean, S., Molano, G., Sandoval, E., Kjestrup, H., Harland, R., Hunt, C., Pickering, N. K., & McEwan, J. C. (2013). Heritability estimates of methane emissions from sheep. *Animal: An International Journal of Animal Bioscience*. doi:10.1017/s1751731113000864
- Priyono, P., & Priyanto, D. (2018). Partnership Program on Bali Cattle Fattening Based on Local Resources in the Suboptimal Land Area of Nusa Tenggara Timur. *Indonesian Bulletin of Animal and Veterinary Sciences*. doi:10.14334/wartazoa.v28i2.1652
- Rab, S. A., Priyanto, R., Fuah, A. M., & Wiryawan, I. K. G. (2016). Daya Dukung dan Eisiensi Produksi Sapi Madura dengan Pemanfaatan Limbah Kacang Kedelai. *Jurnal Ilmu Produksi Dan Teknologi Hasil Peternakan*. doi:10.29244/jipthp.4.3.340-344
- Roehe, R., Dewhurst, R. J., Duthie, C. A., Rooke, J. A., McKain, N., Ross, D. W., Hyslop, J. J., Waterhouse, A., Freeman, T. C., Watson, M., & Wallace, R. J. (2016). Bovine Host Genetic Variation Influences Rumen Microbial Methane Production with Best Selection Criterion for Low Methane Emitting and Efficiently Feed Converting Hosts Based on Metagenomic Gene Abundance. *PLoS Genetics*. doi:10.1371/journal.pgen.1005846
- Ryle, M., & Ørskov, E. R. (1990). Energy Nutrition in Ruminants. In *Energy Nutrition in Ruminants*. doi:10.1007/978-94-009-0751-5
- Sari, N. F., Ridwan, R., Rohmatussolihat, Fidriyanto, R., Astuti, W. D., & Widyastuti, Y. (2019). The Effect of Probiotics on High Fiber Diet in Rumen Fermentation Characteristics. *IOP Conference Series: Earth and Environmental Science*, 1–7. doi:10.1088/1755-1315/251/1/012057
- Sasson, G., Ben-Shabat, S. K., Seroussi, E., Doron-Faigenboim, A., Shterzer, N., Yaacoby, S., Miller, M. E. B., White, B. A., Halperin, E., & Mizrahi, I. (2017). Heritable bovine rumen bacteria are phylogenetically related and correlated with the cow's capacity to harvest energy from its feed. *MBio*. doi:10.1128/mBio.00703-17
- Sengkey, N. M., Salendu, A. H. ., Wantasen, E. ., & Waleleng, P. O. . (2017). Potensi Pengembangan Ternak Sapi Potong Di Kecamatan Tompas Barat. *ZOOTEC*. doi:10.35792/zot.37.2.2017.16155
- Solomon, R., Wein, T., & Reiss, V. (2020). Rumen protozoa shape microbiome composition and metabolic output of fermentation. *BioRxiv Microbiology*. doi:10.1101/2020.05.15.080218

- Soltan, Y. A., & Patra, A. K. (2020). Bee propolis as a natural feed additive: Bioactive compounds and effects on ruminal fermentation pattern as well as productivity of ruminants. *Indian Journal of Animal Health*. doi:10.36062/ijah.59.2spl.2020.50-61
- Suryani, N. N., Mahardika, I. G., Putra, S., & Sujaya, N. (2015). Sifat Fisik dan Kecernaan Ransum Sapi Bali yang Mengandung Hijauan Beragam. *Indonesian Journal of Animal Science*. doi:10.25077/jpi.17.1.38-45.2015
- Suryanto, E., Bulkaini, B., Soeparno, S., & Karda, I. W. (2017). Kualitas Karkas, Marbling, Kolesterol Daging Dan Komponen Non Karkas Sapi Bali Yang Diberi Pakan Kulit Buah Kakao Fermentasi. *Buletin Peternakan*. doi:10.21059/buletinpeternak.v41i1.12757
- Syapura, S., Bata, M., & Pratama, W. S. (2013). Peningkatan Kualitas Jerami Padi dan Pengaruhnya Terhadap Kecernaan Nutrien dan Produk Fermentasi Rumen Kerbau dengan Feces Sebagai Sumber Inokulum. *Jurnal Agripet*. doi:10.17969/agripet.v13i2.822
- Tapio, I., Snelling, T. J., Strozzi, F., & Wallace, R. J. (2017). The ruminal microbiome associated with methane emissions from ruminant livestock. In *Journal of Animal Science and Biotechnology*. doi:10.1186/s40104-017-0141-0
- Ullah Khan, R., Ullah Khan, R., Naz, S., Dhama, K., Karthik, K., Tiwari, R., Abdelrahman, M. M., Alhidary, I. A., & Zahoor, A. (2016). Direct-fed microbial: Beneficial applications, modes of action and prospects as a safe tool for enhancing ruminant production and safeguarding health. *International Journal of Pharmacology*. doi:10.3923/ijp.2016.220.231
- Umar, M., Arifin, M., & Purnomoadi, A. (2011). Ruminal condition between Madura cattle and Ongole Crossbred cattle raised under intensive feeding. *Journal of the Indonesian Tropical Animal Agriculture*. doi:10.14710/jitaa.36.3.213-218
- Vera, J. K., Briceño, E. G., Ruíz, A., Mayo, R., Ayala, A., Aguilar, C. F., Solorio, F., & Ramirez, L. (2014). Manipulación del metabolismo energético de los rumiantes en los trópicos: opciones para mejorar la producción y la calidad de la carne y leche. *Revista Cubana de Ciencia Agrícola*, 48(1), 43–53.
- Wallace, R. J., Rooke, J. A., McKain, N., Duthie, C. A., Hyslop, J. J., Ross, D. W., Waterhouse, A., Watson, M., & Roehe, R. (2015). The rumen microbial metagenome associated with high methane production in cattle. *BMC Genomics*. doi:10.1186/s12864-015-2032-0
- Wangi, L., Busono, W., & Nasich, M. (2017). The Effect of Different Seasons and Land Types Towards The Performance of Bali Cattle Production in Southeast Sulawesi. *Research Journal of Life Science*. doi:10.21776/ub.rjls.2017.004.03.2
- Weimer, P. J., Cox, M. S., Vieira de Paula, T., Lin, M., Hall, M. B., & Suen, G. (2017). Transient changes in milk production efficiency and bacterial community composition resulting from near-total exchange of ruminal contents between high- and low-efficiency Holstein cows. *Journal of Dairy Science*. doi:10.3168/jds.2017-12746

- Widyawati, S. D. (2010). Perbaikan Nilai Nutrisi Jerami Padi Melalui Suplementasi Tepung Daun Lamtoro pada Sapi Peranakan Ongole Jantan. *Sains Peternakan*. doi:10.20961/sainspet.v8i1.4734
- Wisnuwati, S., Dartosukarno, & A Purnomoadi. (2014). Respon Fisiologis Harian Sapi Madura Jantan yang Diberi Pakan dengan Kuantitas Berbeda. *Animal Agriculture Journal*, 3(3), 389–394.
- Yantika, S. M., Alamsyari, Evvyernie, D., Diapari, D., & Winaga, K. (2016). Performance, carcass production, and meat quality of sumba ongole bulls fed ration supplemented velvet bean (*Mucuna pruriens*). *Media Peternakan*. doi:10.5398/medpet.2016.39.1.20
- Zhang, Q., Difford, G., Sahana, G., Løvendahl, P., Lassen, J., Lund, M. S., Guldbrandtsen, B., & Janss, L. (2020). Bayesian modeling reveals host genetics associated with rumen microbiota jointly influence methane emission in dairy cows. *ISME Journal*. doi:10.1038/s41396-020-0663-x
- Zhou, M., Chung, Y. H., Beauchemin, K. A., Holtshausen, L., Oba, M., McAllister, T. A., & Guan, L. L. (2011). Relationship between rumen methanogens and methane production in dairy cows fed diets supplemented with a feed enzyme additive. *Journal of Applied Microbiology*. doi:10.1111/j.1365-2672.2011.05126.x

